



Position	Amount	Type number	Description
1	1	341703790	Cap screw
2	1	341031860	Clamping flange
3	1	344162850	TCT Sawblade
4	1	341031870	Clamping flange
5	4	341703840	Tap tite screw TORX 20 x 10
6	1	339132120	Retraining sheet
7	1	141119480	Fill. head screw(DIN 7985)
8	1	343391680	Guard lever
9	1	315415970	Pendulum guard - UL
10	1	342021920	Spring left
11	1	315415960	Saw housing
12	4	341703800	Fillister head screw plastite 4.0X18
13	1	341703810	Countersunk screw
14	1	339040870	Rubber ring
15	1	341703940	Allen head screw
16	1	399999990	Part not needed
17	1	315415950	Saw housing
18	3	141120070	Fill. head screw(DIN 7985)
19	2	141131950	Hexagon lock nut
20	1	141130650	Hexagonal lock nut
21	1	343390810	Exhaust nozzle
22	1	342003230	Pressure spring
23	1	343390190	Switch-on lock
24	1	316037980	Spindle lock
25	1	342003230	Pressure spring
26	1	343390200	Motor housing
27	13	141120340	Screw
28	1	343390210	Motor cover
29	1	343390440	Locking slide
30	1	339131890	Tulip contact
31	1	343407570	Switch
32	1	342021670	Spring clip
33	1	344097060	Rubber plug
34	1	316038050	Gear-box cpl.
35	1	316038060	Gear-box cpl.
36	4	341703880	Srew 4x18
37	1	341703830	Fillister head screw M 6X40
38	2	341100970	Thumb-nut
39	2	141150960	Washer
40	1	141116050	Truss head screw
41	1	341111920	Thumbscrew

42	1	342003240	Pressure spring
43	1	141130070	Hexagonal nut
45	1	141113200	Fillister head screw
46	1	141119960	Truss head screw
47	1	316037290	Guide plate cpl.
48	1	338119060	Metabo plate
49	1	338046450	Rating plate
50	1	331050740	Parallel guide
51	1	344161530	Hexagonal key
52	1	338116800	Indication label "KSA 18" USA/CDN
53	1	344097120	Rubber support
54	1	141150020	Washer
1001	1	338504290	Diagram

