



BOSCH

Drill

----- | 0 601 105 039

Table of Content

Spare parts list.....	2
Illustration - Type.....	4

Spare parts list

Item	Part Number	Description	Illustration
3	1 604 010 119	Armature With Fan 110-115V	1
4	1 604 220 095	Pole Shoe 110V	1
5	1 603 523 062	Drilling Spindle	1
6	1 607 200 060	On-Off Switch	1
8	1 604 460 056	Power supply cord	1
9	1 600 400 900	Guide Sleeve Ø38xØ43x40 MM	1
10	1 601 11A 3H5	Nameplate	1
11	1 602 381 001	Insulating Strip 33x10x6 MM	1
14	1 610 210 014	O-Ring 8,0x2,5 MM	1
15	1 605 500 066	Sealing cap GREEN	1
15	1 605 500 071	Sealing cap BLUE	1
15	1 605 500 092	Sealing cap BLACK	1
17	1 607 202 006	Overload Switch	1
18	1 601 110 481	Manufacturer's nameplate SHADOW SIDE	1
19	2 616 690 003	Spring Lock Washer	1
20	1 600 501 055	Backup ring	1
21	1 606 320 052	Toothed Gear Z=38	1
22	1 604 412 020	Connecting Cable L=100 MM	1
23	1 600 109 006	Sealing disk	1
24	1 900 905 102	groove ball bearing 6002-Z DIN 625	1
25	1 900 900 235	groove ball bearing 627 Y DIN 625	1
29	1 600 210 024	O-Ring 12,0x1,0 MM	1
31	2 603 435 011	Tapping Screw	1
32	1 600 703 016	Grommet Ø6,4-Ø7,5x75 MM	1
32	2 600 703 008	Grommet Ø8,2 MM	1
32	2 600 703 013	Grommet Ø7,6-Ø8,2x95 MM	1
33	1 601 302 014	Fastening Clamp	1
34	1 604 652 004	Spiral Spring	1
38	2 910 211 016	Tapping Screw DIN 7971-BZ3,9x6,5	1
39	2 910 021 120	Socket head cap screw DIN 84-AM4x10-8.8	1
40	2 910 211 019	Tapping Screw DIN 7971-ST3,9x16-F	1
41	2 910 601 304	Tapping Screw DIN 7976-ST2,9x6,5-C-H	1
42	2 910 211 006	Tapping Screw DIN 7971-BZ2,9x13	1
43	2 910 211 017	Tapping Screw DIN 7971-BZ3,9x9,5	1
48	2 603 105 011	Control Shaft	1

Spare parts list

Item	Part Number	Description	Illustration
49	1 600 108 052	Seal Ring	1
50	1 600 502 008	O-Ring	1
51	1 600 500 017	Cupped Washer	1
52	1 600 910 008	Needle-Roller Bearing	1
53	2 916 600 008	Retaining ring 14 DIN 9045	1
54	2 600 301 043	Bushing Ø8G7xØ14R6x6MM	1
56	1 606 312 008	Toothed Shaft Z=10	1
57	1 606 328 099	Toothed Gear Z=20/36	1
58	1 900 023 004	Woodruff Key DIN 6888-3x3,7-ST-60	1
59	1 606 320 053	Cylindrical Gear	1
60	1 600 100 611	Shim 1,2 MM THICK	1
61	1 602 026 040	Control Lever	1
62	1 601 328 001	Control Fork	1
63	1 600 148 005	Eccentric Disc	1
64	1 604 611 016	Compression Spring	1
65	1 602 300 017	Flat Key	1
66	2 600 210 025	Seal Ring 13,0x4,0 MM	1
67	2 000 101 600	Shim Ø14,5x21,5x0,5 MM	1
70	2 910 611 017	Tapping Screw DIN 7981-B 3,9x9,5	1
71	2 916 652 005	Spring retaining ring 14x1MM DIN 471	1
74	1 903 230 304	Warning Label 3 MM DIN 5401	1
77	2 603 410 001	Socket head cap screw M3x6,5-4.8	1
78	5 541 468 300	Round Rubber Ø3x9,5 MM	1
650	1 608 571 081	Key Chuck Ø1,0-10MM,1/2"	1
800	1 600 301 900	Sintered-Metal Bushing	1
802	1 605 104 910	Assembly Of Service Parts BLUE	1
802	1 605 104 923	Assembly Of Service Parts GREEN	1
805	1 601 323 901	Brush Holder	1
807	1 604 321 900	Carbon Brush	1
808	1 605 807 906	Assembly Of Service Parts	1

Illustration - Type - E

