SERVICE PARTS LIST

Milwaukee SPECIFY CATALOG NO. AND SERIAL NO. WHEN ORDERING PARTS

M18 1/2" COMPACT HAMMER-DRILL

REVISED BULLETIN

DATE Aug. 2014

28 9 24

CATALOG NO.


 $|00|_{0}$

2602-059

STARTING SERIAL NO

D37A


WIRING INSTRUCTION SEE PAGE 3



TIG.	PART NO.	DESCRIPTION OF PART NO). KEQ.
1	05-88-1500	M6 x 1.0 LH Chuck Screw w/ locking patch	(1)
2	42-66-0785	1/2" Keyless Chuck	(1)
3	06-82-6350	M3 x 16 Pan Hd. Plastite T-10 Screw	(7)
4	18-01-3016	Service Field	(1)
5	16-01-3015		(1)
6		Brush Card	(1)
7	45-24-0250	High / Low Shifter	(1)
8	42-42-0850	Forward / Reverse Button	(1)
9	23-66-1236	Service Switch Assembly	(1)
10	40-50-1090	Compression Spring	(1)
11	10-20-2695	Warning Label	(1)
12	45-30-0270	Rubber Slug	(4)
13		PCBA	(1)
14	05-88-0675	M3.0 x 20mm End Cap/Gearcase Scr T-10	(8)
15		Left Handle	(1)
16		Right Handle	(1)
17	42-50-1060	End Cap	(1)
18		LED Assembly	(1)
19		Terminal Block Assembly	(1)
22		Service Nameplate Kit	(1)
23	14-29-0376	Service Gearcase Assembly	(1)
24	31-44-2635	Service Housing Kit	(1)
25	42-55-2603	Carrying Case, Optional	(1)
28	23-66-1237	Switch and Housing Kit	(1)
29	42-62-0526	Side Handle Assembly	(1)

FIG.	PART NO.	DESCRIPTION OF PART	NO. REQ.
31	43-72-0550	Bit Holder, Optional	(1)
32	45-88-1935	Washer, Optional	(1)
33	06-82-5275	6-32 x 5/16" Pan Hd. T-15 Screw, Option	al (2)
34	42-70-5150	Belt Hook, Optional	(1)
72	05-88-0928	M3 x 5mmPan Hd. T10 Screw	(2)
73	45-88-1980	Spring Washer	(2)
74		Leadwire Assembly - Red	(1)
75		Leadwire Assembly - Black	(1)
76	14-46-2399	Leadwire/Screw/Washer Kit	(1)
77	14-46-2012	Brush Card Assembly	(1)
80	42-70-2653	Belt Clip Assembly	(1)
81		Belt Clip	(1)
82		Belt Clip Screw	(1)

MILWAUKEE ELECTRIC TOOL CORPORATION 13135 W. Lisbon Road, Brookfield, WI 53005



NOTE:


There are two Brush Card Assembly designs.


On the original brush card design the red and black wires that go to the switch are soldered on the brush card.

On the new brush card design the red and black wires that go to the switch are secured to the brush card with spring washers and screws.

The new brush card design is <u>directly interchangeable</u> in tools that have the old brush card design.

Short leg of spring to the bottom





WIRING SPECIFICATIONS							
Wire No.	Wire Color	Origin or Gauge	Length	Terminals, Connectors and 1 or 2 End Wire Preparation			
1	Black			Component of Brush Card Assy. Connect to M2 on Switch.			
2	Red			Component of Brush Card Assy. Connect to M1 on Switch.			
3	Red			Component of Switch/Brush Card/Terminal Block Assembly.			
4	Black			Component of Switch/Brush Card/Terminal Block Assembly.			
5	Orange			Component of Switch/Brush Card/Terminal Block Assembly.			
6	Orange			Component of Switch/Brush Card/Terminal Block Assembly.			
7	Green			Component of Switch/Brush Card/Terminal Block Assembly.			
8	White			Component of Switch/Brush Card/Terminal Block Assembly.			
9	Brown			Component of Switch/Brush Card/Terminal Block Assembly.			
10	Black			Component of Switch/Brush Card/Terminal Block Assembly.			
11	Blue			Component of Switch/Brush Card/Terminal Block Assembly.			
12	Red			Component of Switch/Brush Card/Terminal Block Assembly.			
13	Blue			Component of Switch/Brush Card/Terminal Block Assy. (LED)			
14	Yellow			Component of Switch/Brush Card/Terminal Block Assy. (LED)			