

Type: WSG 11-125 RT (60Hz, 120V)
Part no.: 72221509360

Item	Part no.	Designation	Quantity
10	31903225000	Motor housing	1
20	51279005110	Stator 50Hz110V	1
95	30712096040	Brush holder Set 100-120V, 50/60Hz	2
100	30711160000	Carbon brush 110-120V, 50/60Hz	2
110	30719888010	Cable	1
120	30762498990	Electronics	1
130	32427157000	Cover	2
140	43072000000	Screw	2
150	31428179000	Air guide ring	1
405	31206146030	Gearbox housing	1
410	41705006006	Needle sleeve	1
420	30217335005	Bolt	1
430	40612137008	Sealing ring	1
440	30901357005	Spiral spring	1
450	32805200008	Pushbutton	1
460	32419153000	Bearing plate	1
470	41701010054	Grooved ball bearing	1
480	33406308000	Shaft 5/8 "	1
490	32416115000	Plate	1
505	33809238020	Bevel gear Z=11/41	1
510	32624122020	Washer 0,1	1
520	43064024043	Screw	4
530	40612000003	Sealing ring	1
540	32408450000	Disc	1

Type: WSG 11-125 RT (60Hz, 120V)
Part no.: 72221509360

Item	Part no.	Designation	Quantity
550	30240331000	Lever	1
560	30901403000	Spring	1
570	33024077000	Screw	1
580	31428180000	Air guide ring	1
700	53279002360	Armature 60Hz120V	1
710	41701001260	Grooved ball bearing	1
720	30507236000	Bearing bush	1
740	32416117000	Plate	1
750	41701207260	Grooved ball bearing	1
770	43074012000	Screw	4
900	31810300000	Wheel guard	1
910	63801183010	Inner flange	1
912	40612000007	Sealing ring	1
920	63802098007	Threaded flange	1
940	32119107016	Handle	1
1010	30701305010	Switch	1
1020	43041039999	Fillister head screw	4
1030	31413282000	Cable grommet	1
1040	30707488010	Cable with plug CA/US	1
1050	32431043002	Cable clamping piece	1
1060	31412063000	Terminal	2
1080	30719886010	Cable	1
1090	30719887010	Cable	1
1110	43072000000	Screw	7

Type: WSG 11-125 RT (60Hz, 120V)
Part no.: 72221509360

Item	Part no.	Designation	Quantity
1150	31204193010	Handle	1
2500	32217517000	RFID Transponder VE1	1
5000	62910022002	Bidirectional nut spanner	1
6000	32160003014	Lubricant tube 0,085 kg	1

Type:
Part no.:

WSG 11-125 RT (60Hz, 120V)
72221509360

- 7 222 14 - WSG 11 -125 R(A)
- 7 222 15 - WSG 11 -125 RT(A)
- 7 222 18 - WSG 17 -125 PR
- 7 222 19 - WSG 17 -125 PRT
- 7 222 25 - WSG 15 -125 PR(A)
- 7 222 26 - WSG 15 -125 PRT(A)

