

Illustrated Parts	1996-01
List	I9602017

# **GT 200**

(HCGTK200A) 954840001




**Repair Parts Manual** 

**Ride Mower** 

**REPAIR PARTS** 


TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 ELECTRICAL



TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 ELECTRICAL

KEY NO.	PART NO.	DESCRIPTION
53	532144921 532140400 532141226 532140401 532110712 532109553 532151873 817720408 532131563 532145673 532140404 817011008 811151000 532140404 532140405 871031008 873951000	Battery Bolt Hex Head 1/4-20 x 3/4 Washer, Lock 1/4 Washer 9/32 x 5/8 x 16 Ga Nut Fin Hex 1/4-20 Tube Plastic Tray, Battery Clamp, Hose Bolt, Btr Frt 1/4-20 x 7-1/2 Zinc Holddown Battery Dash Mount Nut Push Nylon 1/4" Battery Frt. Washer, Lock 1/4 Nut, Jam Hex 1/4-20 Harness Socket Light w/4152J Bulb Light Cable, Starter Cable, Battery Fuse Cable, Ground Switch, Plunger Switch, Ign Nut, Ignition Switch Cover Switch Key Key Switch, Light Intlk Switch Harness Ign. Screw 1/4-20 x 1/2 Cover, Terminal Red Solenoid Meter Hour Screw #10-24 x 1/2 Washer, Lock Internal Tooth 5/8 Switch, PTO Ring Retainer PTO Screw Hex Washer Hd #10-32 x 1 Nut Keps #10-32 Light Pkg Asm Bulb, Light Pkg.


TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 CHASSIS AND ENCLOSURES



# TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 CHASSIS AND ENCLOSURES

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532150253	Rail, Frame RH	54	873510500	Nut 5/16-18
2	532140506	Drawbar, Gt	56	532138461	Bracket Asm., Susp Chassis Lh
3	532150478	Panel Asm., Side LH	58	532137113	Bracket Asm., Fender
4	873800700	Nut, Lock Hex 7/16 Unc		817490620	Screw Thdrol 3/8-16 x 1-1/4
5	532140452	Dash, Plastic Black		819131614	Washer 13/32 x 1 x 14 Ga.
6	532150273	Dash 1-PCS, Lower		532140737	Guide Belt Trans VGT
7	817720408	Screw, Thd Cut 1/4-20 x 1/2	68	817490508	Screw, Thdrol 5/16-18 x 1/2
8	532145166	Support, Battery	70	532137159	Guide, Belt Mid Span
9	532108067	Nut Pal	72		Screw, Mach Trhd 5/16-18 x 3/4
14	532150477	Hood Asm., Pnt	74	874191008	Screw, Machine #10-24
15	532124250	Lens, Headlight LH	76	532125004	Nut, Weld #10-24
16	532121794	Cover, Access	79	874981020	Screw, Machine #10-24 x 1/4
17	817490612	Screw, Thdrol 3/8-16 x 3/4	80	532007206	Spacer, Split
18	532127325	Grille		873731000	Nut #10-24
19	819131312	Washer 13/32 x 13/16 x 12 Ga.	84	532142992	Stop, Over Center 44" 20/23" T. 94
20	874760616	Bolt, Fin Hex 3/8-16 x 1		532144911	Bracket Support Pnt Trans VGT
21	873680600	Nut, Crownlock 3/8-16 Unc		874760716	Bolt, Fin Hex 7/16-14 Unc x 1
22	532150479	Panel Asm., Side RH		810040700	Washer Lock Hvy Hicl Spr 7/16
23	817490616	Screw Thdrol. 3/8-16 x 1 Ty-TT		811050600	Washer, Lock External Tooth 3/8
24	532147202	Footrest, RH	91	532150851	Rail, Frame Lh
25	532124251	Lens Headlight RH	92	532141626	Plate, Silkscreen Dash
27	873220400	Nut Fin Hex 1/4-20		532100207	Clip, Fuel Line
28	532147203	Footrest, LH	95	532105531	Push Nut, Nylon
29	532145205	Bracket, Support Dash		532138776	Screw Thdrol. Hex Hd Zinc Mur
30	532145051	Saddle		532109808	Latch, Chute Blk
31	532145183	Brace, Support Steering		532110356 532110357	Cap, Snap Black
32	532141315	Bracket Asm., Frame Pivot Lh			Cap, Washer Snap Pivot Asm. Grille/Hood Husq. VGT
33	532141314	Bracket Asm., Frame Pivot Rh		532150200 532060867	Nut, Acorn, Hex #10-24
34	532142131	Bracket, Engine Support Rear Washer 11/32 x 11/16 x 16 Ga.		872140610	Bolt, Carriage 3/8-16 x 1-1/4
35	819111116	Bolt, Fin Hex 5/16-18 x 3/4		532150300	Bumper Asm.
36	874780512	Fender, Pht.		532141461	Bracket Extension Bumper
37 38	532124927	Washer, Lock 1/4		532143679	Plug Plastic
38 39	810040400	Bracket, Axle Front		819131316	Washer 13/32 x 13/16 x 16 Ga.
39 40	532136961 532142132	Bracket, Axie Profit Bracket, Support Axle/Engine		873680600	Nut Crownlock 3/8-16 UNC
43	532136939	Bracket, Support Axie/Engine Bracket, Spnsn Front Lh		819131616	Washer 13/32 x 1 x 16 Ga.
43 44		Bracket, Sphsh Front Rh		817521312	Screw, SLTD Hex Hd. W/Pl Washer
44 45	532136940 532138460	Bracket Asm., Susp Chassis Rh		532150195	Bracket Support Hood/Panel YP
45 46	819091216	Washer 9/32 x 3/4 x 16 Ga.		874291006	Screw, Truss Hd. #10-24 x 3/8
47	817490608	Screw Thdrol 3/8-16 x 1/2		532125085	Plug, Hole
50	532136575	Bracket, Chassis Front		502.2000	
52	873800500	Locknut, Hex W/ins 5/16-18 Unc	NOT	<b>E:</b> All compose 1 inch = 25	nent dimensions given in U.S. inches 5.4 mm


TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 GROUND DRIVE



# TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 GROUND DRIVE

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532124708	Key Woodruff	38	532150035	Nyliner
3	532007563	Washer Thrust Axle Harden	39	874321016	Screw Fin #10-24 x 1
4	817490508	Screw Thdrol 5/16-18 x 1/2 TYT	40	532005304	Actuator Interlock Switch
5	873680600	Nut Crownlock 3/8-16	41	873631000	Nut Lock #10-24
6	876020412	Pin Cotter 1/8 x 3/4	42	532123533	Cover Pedal
7	532149176	Wheel Hub Asm.	43	874760412	Bolt Hex Head 1/4-20 x 3/4
8	812000034	Ring Klip	44	532104601	Bracket Interlock
9	532140080	Bolt Hub	45	873800400	Nut Lock W/Insert 1/4-20
10	532142509	Disc Brake	46	532145170	Retainer Spring
11	532136927	Yoke Brake Disc	47	532138228	Clutch Rod
12	532009204	Locknut 1/2-20	48	872110614	Bolt Carriage 3/8-16 x 1-3/4 Gr 5
13	532139419	Washer Special	49	819131413	Washer 13/32 x 7/8 x 13 Ga
14	532138901	Bushing	50	532131494	Pulley Idler Flat
15	819131316	Washer 13/32 x 13/16 x 16 Ga	51	873800600	Nut Lock Hex 3/8-16
16	532143012	Set Screw 1/4-28 x 3/4	52	532139123	Pulley Idler Grooved
17	532126909	Spring	53	532000207	Washer Hartdened
18	532137104	Lever Brake	54	532138390	Clutch Arm Asm
19	532136926	Cam Brake Disc	55	532105706	Bearing, Idler
21	823260412	Screw Flat Head 1/4-28 x 3/4	56	532137153	V-Belt
22	532124863	Gearshift Lever Assembly	57	532141756	Bracket Shift Rod Hi-Lo
23	532121466	Knob	59	532122253	Shift RodHi-Lo
24	532136925	Support Puck Brake	60	532122268	Spring Clip Connecting Link
25	532136923	Puck Brake Top	61	532137524	Pulley Transaxle
26	532137552	Spring Return	62	810040700	Washer Lock 7/16
27	817490528	Screw Hex Wsh Thd 5/16-18	63	874760720	Bolt Fin Hex 7/16-14 x 1-1/4
		x 1-3/4	64	532137649	Shaft Clutch/Brake Pedal
28	873350600	Nut Hex Jam 3/8-16	65	532067609	Bolt Shoulder
29	532137213	Brake Rod	66	532140296	Washer Hardened
30	819131616	Washer 13/32 x 1 x 16 Ga	67	819131312	Washer 13/32 x 13/16 x 12 Ga.
34	532071673	Cap Plunger	68	532005142	Pin Roll
35	532137648	Rod Parking Brake	69	532136327	Hub Cover
36 37	532149412 532121749	Spring Drive Ground Washer 25/32 x 1-1/4 x 16 Ga	NOT	E: All compor 1 inch = 2	nent dimensions given in U.S. inches 5.4 mm


TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 STEERING ASSEMBLY



# TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 STEERING ASSEMBLY

KEY NO.	PART NO.	DESCRIPTION
1	532124415	Wheel, Steering
2	532137094	Axle Asm., Front
3,	532124836	Fitting, Grease
4	532136960	Spindle Asm, LH
5 6	532136959 532124931	Spindle Asm., RH Bearing, Race Thrust Harden
7	532121748	Washer 25/32 x 1-5/8 x 16 Ga.
8	812000029	Ring, Klip #T5304-75
9	532121232	Cap, Spindle
10	874781044	Bolt, Fin Hex 5/8-11 x 2-3/4
11	532136518	Spacer, Brg. Axle Front
12	873901000	Nut, Lock Flange 5/8-11 Unc
13	532121749	Washer 25/32 x 1-1/4 x 16 Ga.
14	810040600	Washer, Lock Hvy Hlcl Spr 3/8
15	873610600	Nut, Fin Hex 3/8-24 Unf
16 17	532145103 532137347	Shaft Asm., Steering Rod Asm., Tie Ball J Ball Vgt (Inc
17	302107047	Key No. 36-40)
18	532137155	Draglink, Ball Joint Solid Vgt
19	532146611	Support Asm., Steering Vgt
21	532100711	Adapter, Wheel Steering
22	532124720	Bushing, Strg. Blk
23	817431008	Screw, Slftp #10-16 x 1/2 Ty-b
24	819133808	Washer 13/32 x 2-3/8 x 8 Ga.
25 26	874780616 532124416	Bolt, Fin Hex 3/8-16 x 1 Gr. 5
27	532124937	Cap , Wheel Steering Bearing, Col. Strg.
28	817490612	Screw Thdrol 3/8-16 x 3/4
29	532104239	Bearing, Flange
30	812000034	Ring, Klip Truarc #5304-75
31	532138136	Bushing, Nyliner Snap
32	819111610	Washer 11/32 x 1 x 10 Ga.
33	810040500	Washer, Lock Hvy Hlcl Spr 5/16
34 35	874760512 532138059	Bolt, Hex Hd 5/16-18 x 3/4 Gear, Sector Steering
36	532137156	Tie Rod
37	873360600	Jam Nut RH Thread
38		Joint Asm. Ball RH Thread
39	873700600	Jam Nut LH Thread
40	532109851	Joint Asm. Ball LH Thread


TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 ENGINE



# TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 ENGINE


KEY NO.	PART NO.	DESCRIPTION
1 2 5 7 8	532144636 813200300 532151396 532121361	Engine Kohler, Model No. CV20S Muffler VGT Cylinder Elbow STD 90 Degree 3/8-18 NPT Muffler Assembly Guard Pulley V-Idler
9 10	532145109 532105432	Stop Keeper Asm VGT Bushing
11 12	532140923 532143996	Clutch Electric Pulley Engine VGT Elect Clutch
15	532141069	Tank Fuel W/Sym Vented
16	532109227	Pad Spacer
17	532106082	Pad Spacer
18 19		Cap Asm Fuel W/Sym Vented Plug Oil Drain
20	532132747	(Order From Engine Manufacturer) Control Throttle
21	817720410	Screw Hex Thd Cut 1/4-20 X 5/8
22	532132781	Control Choke
23	819131316	Washer 13/32 X 13/16 x 16 Ga
24 25	811050600 873920600	Washer Ext Tooth 3/8 Nut Keps 3/8-24 UNF
26	532124952	Bushing
27	532139277	Stem Tank Fuel
28	532124703	Fuel Line
29	532132920	Spark Arrester Kit
30	532105037	Strip Foam 18"
33	873800600	Nut, Hex W/Ins. 3/8-16 UNC
37	532123487	Clamp Hose
38	874780624	Bolt, Fin Hex 3/8-16 UNC x 1-1/2
39	817490636	Screw TT 3/8-16 x 2-1/4 UNC
40	817490664	Screw TT 3/8-16 x 4 UNC
41 42	532126197 810040700	Washer 1-1/2 OD X 15/32 ID X .250 Washer Lock 7/16
43	532150280	Bolt Hex 7/16-20 X 4-1/4 Ga 5
45	532128861	Nut Flange 1/4-20 Starter Nut
46	819131616	Washer 13/32 x 1 x 16 Ga.
47	532142040	Spacer Engine
48	819132007	Washer 13/32 x 1-1/4 x 7 Ga.
51	532140787	Pipe Crossover
54	819131414	Washer Flat 13/32 x 7/8 x 14 Ga.
55	813090336	Nipple, Pipe 3/8 NPT x 4-1/2
56	813090308	Nipple, Pipe 3/8 NPT x 1.00
63	532145549	Shield, Heat VGT YP/Husq.

# TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 SEAT ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532141525	Seat	15	532121249	Spacer, Split
2	532140551	Bracket, Pivot Seat	16	532123740	Spring, Cprsn
3	532140675	Strap, Fender	-17	532123976	Nut, Lock 1/4 Lge Flg Gr. 5
4	532127018	Bolt, Shoulder 5/16-18 X .62	18	819171912	Washer 17/32 X 1-3/16 X 12 Ga.
5	532145006	Clip, Push In Hinged	19	532120068	Knob, Seat 1/2-13 Unc
6	873800600	Nut, Lock Hex W/Ins. 3/8-16 Unc	20	532124238	Cap, Spring Seat
7	532124181	Spring, Seat Cprsn	21	532139888	Bolt, Shoulder 5/16-18 Unc
8	532150176	Bolt 5/16-18 Unc x 3/4 w/Sems	22	873680500	Nut, Crownlock 5/16-18 Unc
10	532140552	Pan, Seat			
12	532121246	Bracket, Mounting Switch		411	and disconsissed about in U.S. inches
13	532121248	Bushing, Snap	NOI	E: All compo	nent dimensions given in U.S. inches
14	872050411	Bolt, Carriage 1/4-20 X 1-3/8		1 inch = 25	o.4 mm

TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 DECALS




KEY NO.	PART NO.	DESCRIPTION
1 2 3	532138956 532150616 532153700	Decal, Operating Instruction Decal, Grille Husqvarna Decal, Kohler 20 Hp Cmd
4	532137259	Decal, Warning Multi-Lang
5	532150641	Decal, Hood LH GT200
6	532150640	Decal, Hood RH GT200
9	532150617	Decal, Fender
10	532133795	Decal, Caution
11 14	532101892 532139346	Decal, Clutch/Brake Decal, V-Belt Schematic

KEY NO.	PART NO.	DESCRIPTION
19	532146451	Decal, Battery
23	532106202	Reflector, Taillight
	532138311	Decal, Handle Lft Height Adjust (Lift Handle)
	532145246	Pad Ftrest Abr Sq Generic 95
	532145247	Fastener Pop-In Footrest (8 per)
	532153287	Manual, Owner's (English)
	532153288	Manual, Owner's (French)

Accessories not included with tractor:
-- SH10 Sleeve Hitch
-- TA128 Tire Chains
-- TS20 8HP Tiller
-- TA321 #55 Wheel Weights
-- TR72 Dozer Blade
-- TR30 10" Plow


۱A.	/LI	= 1	S	Ω.	TI	D		2
vv	m	=1_		ČΥ		м	⊏;	Э.



KEY NO.	PART NO.	DESCRIPTION
1	532059192	Cap, Valve, Tire
2	532065139	Stem, Valve
3	532144509	Rim Assembly, Front
	532144510	Rim Assembly, Rear
4	532008134	Tube, Front (Service Item Only)
	532007154	Tube, Rear (Service Item Only)
5	532106230	Tire, Front
	532105588	Tire, Rear
6	532124860	Fitting, Grease
7	532124959	Bearing, Flange (Front Wheel Only)
8	532104757	Cap, Hub, Axle Blk.
	532144334	Sealant, Tire (10 oz. Tube)
		and the second s

**REPAIR PARTS** 


TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 LIFT ASSEMBLY



# TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 LIFT ASSEMBLY

KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11 2 13 14 5 6 7 11 12 13 14 5 6 7 18 9 10 11 12 13 14 14 14 14 14 14 14 14 14 14 14 14 14	532121006 532145542 532121002 812000022 819292016 874780624 532125631 532124526 532122364 5321246704 532124660 532139868 532140302 873680600 532134687 873350600 532134687 873350600 532124670 873350600 532127218	Rod Asm., Lever Shaft Asm., Lift Vgt Lever Asm., Lift Rh E-Ring Truarc #5133-87 Washer 29/32 x 1-1/4 x 16 Ga. Bolt, Fin Hex 3/8-16 x 1-1/2 Grip, Handle Fluted Button, Plunger Plunger, Lever Lift Spring 2-1/8" Link Lift Retainer, Spring Arm, Suspension Vgt Bearing Nut, Crownlock 3/8-16 Unc Spring Asm., Assist Lift Nut, Hex Jam 3/8-16 Unc Bracket, Spring Assist Washer 13/32 x 13/16 x 16 Ga. Bolt, Adjust Spring Assist Bolt, Fin Hex 3/8-16 x 1 Link, Front Retainer, Spring Nut, Jam Hex 1/2-13 Unc Trunnion Nut, Lock W/Wsh 1/2-13 Unc Ring, Klip #T5304-37 Washer 15/32 x 3/4 x 16 Ga. Trunnion, Dp Stop Dbl Thds Plt Nut, Special Washer 13/32 x 5/8 x 16 Ga. Spring, Compression Inf Hgt Pin, Cotter 3/32 x 1/2 Rod, Adj Lift Knob, Inf 3/8-16 Unc Screw, Thdrol 3/8-16 x 3/4 Washer, Nylon Pointer, Pnt Height Indicator Plug, Hole Screw Thdrol 5/16-18 x 3/4 Nut, Crownlock 3/8-24 Washer 11/32 x 1-1/2 x 10 Ga. Scale, Indicator Height


TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 MOWER DECK



# TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 MOWER DECK

KEY NO.	PART NO.	DESCRIPTION	KEY NO.		DESCRIPTION
1	532136457	Deck Asm., Mower 50" Vented	42	872140506	Bolt, Carriage 5/16-18 Unc x 3/4
2	873800500	Locknut, Hex W/Ins 5/16-18 Unc	43	532136460	Arm, Idler Secondary
3	872110506	Bolt, Carriage 5/16-18 x 3/4	44	532122052	Spacer, Retainer
4	532125074	Runner, Mower LH	45	873680600	Nut, Crownlock 3/8-16 Unc
5	532138457	Bracket Asm., Sway Bar		874760628	Bolt, Fin Hex 3/8-16 Unc x 1-3/4
6	532124670	Retainer, Spring		532137200	Cover, Mandrel RH
7	532130832	Arm Suspension, Rear		532137729	Screw, Thd Roll 1/4-20 x 5/8
8	532850857	Bolt 3/8-24 x 1.25 Gr. 8 Patched	49	532136574	Cover, Mandrel LH
9	810030600	Washer, Lock Hvy 3/8 Unplated		532137272	Arm, Idler Primary
10	532140296	Washer, Hard Blade Mower Vented		532137273	Spring, Secondary
11	532137380	Blade (3 Required)		532139245	Pulley, Idler V Groove
12	532129895	Bearing, Ball #6204 (Mandrel)		532137789	Shield, Idler
13	532137553	Shaft Asm., W/Lower Brg (Includes		532139573	V-Belt, Mower Primary
		Key No. 12)		532144959	V-Belt, Mower Secondary
14	532137152	Housing, Mandrel 50" Vent		532138687 532136577	Spring, Primary
15	532110485	Bearing, Ball Mandrel		532133957	Bar Asm., Wheel Gauge Wheel, Gauge
16	532140329	Stripper, Mower Vented		532137644	Bolt, Shoulder
17	532106735	Rod, Hinge Washer 11/32 x 5/8 x 16 Ga.		532139031	Pin, Clevis
18 19	819111016 532105304	Cap, Sleeve	61	532136573	Bracket, Wheel Gauge
20	532123713	Spring, Torsion Deflector		532133943	Washer Hardened
21	532137607	Bracket, Deflector	63	872110612	Bolt Carriage 3/8-16 x 1-1/2
22	532110452	Nut, Push	64	819121414	Washer 3/8 x 7/8 x 14 Ga.
23	532110509	Shield, Deflector Mower		532151831	Pulley Idler Flat Mower
24	532136320	Runner, RH		532139622	Keeper, Belt Idler 50" Vent
25	819111216	Washer 11/32 x 3/4 x 16 Ga.		873930600	Nut, Center Lock 3/8-16
27	819131316	Washer 13/32 x 13/16 x 16 Ga.		532132274	Bracket, Asm. Noseroller LH
28	532132823	Spacer, Spring Stop Idler	96	532132273	Bracket, Asm. Noseroller RH
29	873800600	Nut, Lock Hex W/Wsh 3/8-16 Unc		819171416	Washer 17/32 x 7/8 x 16 Ga.
30	532138776	Screw Thdrol Hex Head		532132264	Roller, Nose
31	532137266	Nut, Flg Top Lock Cntr 9/16		874760616	Bolt, Fin Hex 3/8-16 x 1
32	532129861	Pulley, Mandrel		872110614	Bolt, Carriage 3/8-16 x 1-3/4 Gr. 5
33	532129963	Washer, Spacer Mower Vented		532143651	Mandrel Asm (Includes Key Nos. 8-
34	872140610	Bolt, Carriage 3/8-16 x 1-1/4		<b>700///07/</b>	10, 12-15, 31 and 33)
35	872110616	Bolt, Carriage 3/8-16 x 2		532141051	Mower Asm Service (Std. Deck -
36	872110608	Bolt, Carriage 3/8-16 x 1 Gr. 5			Order separately all Nose Roller
37	532137166	Stiffener, Arm Idler			and all Gauge Wheel components)
38	532137554	Keeper, Belt Idler		*** All	and the second s
39	532131494	Pulley, Idler Flat	TON		nent dimensions given in U.S. inches
40	532136572	Pulley, Driven		1 inch = 25	o.4 mm

TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 TRANSAXLE



# TRACTOR - MODEL NO. GT200 (HCGTK200A), PRODUCT NO. 954 84 00-01 TRANSAXLE

KEY NO.	PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
1	532124662	Axle Shaft	52	532008119	Needle Bearing
	812000034	Retaining Ring	53	532004220	Thrust Bearing Race
2	532004199	Final Drive Gear	54	532004209	3rd Reduction Pinion, Low
3	532004199	Differential Gear	55	532124668	4th Reduction Gear
4	532004210	Differential Pinion	56	532004442	3rd Reduction Pinion Spacer
5 6	532004217	Differential Carrier	57	532004195	2nd Reduction Gear Shaft
7	532124674	Axle Thrust Washer	58	532004214	Final Drive Pinion
8	874020652	Bolt, Hex Head 3/8-24 x 3-1/4	59	532004194	1st Reduction Gear Shaft
Ü	01-1020002	(1" Thread Length)	60	532007528	1st Reduction Shaft Spacer
9	532124697	Steel Ball	61	532124666	3rd Reduction Plnion High
10	532137261	Spring Shift Fork Detent	62	532124665	2nd Reduction Gear
11	532004985	Shift Fork, High-Low Range	63	532007398	Needle Bearing
12	532124931	Thrust Bearing Race	64	532124664	Low Speed Gear and 2nd
13	532124667	4th Reduction Pinion			Reduction Pinion Cluster
14	532137125	3rd Reduction Gear Shaft	65	532004204	Reverse Gear
15	532124677	Snap Ring, Crescent Type	66	532002898	Key, Hi-Pro 1/8 x 17/32
16	532124679	High-Low Range Gears	67		Snap Ring, Crescent Type
17	532008118	Needle Bearing	68	532004205	Intermediate Speed Gear
18	532124705	Sintered Iron Bearing	69	532125099	High Speed Gear
19	532122238	Shift Fork Shaft, High-Low Range	70	532001370	Thrust Bearing Race
20	532004218	Differential Pinion Spacer	71	532124681	Intermediate and High Speed
21	532124673	Differential Pinion Bushing			Cluster Pinions
22	532124701	Gripco Centerlock Nut 3/8-24	72	532139120	Input Shaft
23	532006262	Shift Fork, R.H.	73	532004201	Low Speed Pinion
24	532124698	Oil Seal	74	812000008	E-Ring
25	532124709	Sintered Iron Bearing	75	532001153	Reverse Idler Gear
26	532139111	Shift Fork Shaft	77	532006803	Needle Bearing
27	532004986	Shift Fork, L.H.	79	532001167	Sealing Washer
28	532122254	Shift Shaft, High-Low Range	80	873360700	Nut, Hex, Jam 7/16-20 Oil Seal
29	532006269	Oil Seal	81	532124675	Reverse Idler Shaft
30	532005855	Pressure Relief Valve	82	532136984	Gearshift Lever, Bent
31	532139538	Gearcase, Reverse Idler Shaft and	84 85	532005384 532002978	Gearshift Cap
		Bearings, R.H. (Includes Key No.'s	86	532124682	Gearshift Ball Cover and Pin
00	E00006077	17,18, 25, 33, 50, 63, 77 and 82) Dowel Pin	87	532124704	Shift Lever Guide Ball, Keyed
32	532006277	Needle Bearing	88	532004924	Spring Spring
33	532004225	Thrust Bearing Race	89	819151516	Washer 15/32 x 15/16 x 16 Gauge
34 35	532007396 532004198	4th Reduction Gear Shaft	90		Shift Mechanism Seal
36	532124663	4th Reduction Gear Spacer	91		Washer 9/16 x 15/16 x 12 Gauge
37	532007395	Thrust Bearing Race	92	532000075	Gearshift Gate and Reinforcement
39	532139536	Gearcase and Bearings, L.H.	93	532006274	Shift Ball Cover Gasket
. 00	302103300	(Includes Key Numbers 18, 25, 49,	94	876020412	Cotter Pin 1/8 x 3/4
		50 (2), 51 and 52)	95	810040500	Washer, Lock 5/16
40	813320400	Pipe Plug 1/2-14 N.P.T.	96	874760514	Bolt, Hex Head 5/16-18 UNC x 7/8
41	817580520	Bolt, Hex 5/16-18 UNC x 1-1/4	97	532124863	Gear Shift Lever Assembly
45	532006271	Oil Seal	98	532140332	Transaxle, 6 Speed,
46	813060200	Pipe Plug 1/4-18 N.P.T.			Complete Assembly
49	532124792	Needle Bearing			
50	532004222	Needle Bearing	NO.		nent dimensions given in U.S. inches
51	532001529	Needle Bearing		1 inch = 25	5.4 mm