



Position	Amount	Type number	Description	PG
1	1	344114200	Rubber cap	15
2	1	342024380	SPIRAL RETAINING RING	11
3	1	339009480	Washer	17
4	1	344114210	Damper	12
5	1	341213160	Sliding sleeve	14
6	1	339149340	Retaining ring	22
7	1	341723200	Supporting disc	23
8	1	342024390	Pressure spring	13
9	1	339149350	Guide plate	12
11	3	341571030	Screw	11
12	1	343448410	housing cap front	22
18	1	315107710	Gear housing in the front	32
19	4	341570980	Screw with flange	12
20	1	344114220	O-ring	12
21	1	341723210	Supporting disc	18
22	1	344114230	Damping ring	13
24	1	341213170	Support ring	19
25	2	339149080	Bit lock	25
26	1	341723230	Drill driving sleeve front	37
28	1	344113880	O-ring	15
29	1	341213190	striker	24
30	1	341723220	Supporting disc	18
31	1	344114240	Damper	14
32	1	341020410	Supporting disc	16
33	1	341723240	Drill driving sleeve behind	31
34	1	341213200	Striker	22
35	1	341006640	Bearing sleeve	26
36	2	344113900	O-ring	15
37	1	341213220	Bit Sleeve	15
38	1	342024400	Pressure spring	13
39	1	343447420	Setting ring	13
40	1	342024410	Pressure spring	13
41	1	341213210	coupling sleeve	30
42	1	341213230	Shift fork	18
44	1	316098040	Con rod cpl.	27
45	1	320054480	Needle bearing	17
46	1	341525460	Bolt	12
47	1	343447430	Piston	17
48	1	310012950	Armature	53
49	2	341723040	Hex head screw	11
50	1	316098050	Stator compl. 110-120V	37

Position	Amount	Type number	Description	PG
51	2	341020240	Spacing washer	11
52	1	341723020	Washer	11
53	1	320054490	Ball bearing	19
54	1	315420270	Motor housing	38
55	4	341571000	Screw	12
56	1	344114250	Dust seal	11
57	2	341723420	houlder bolt	11
58	2	341723430	M5 SEALOCK BUTTON BOLT	11
59	4	341723260	Spacer sleeve	11
60	1	343448490	Handle half pair	28
61	4	344114270	Rubber plug C410599	11
62	1	315420340	Fork	17
63	2	344114280	Foam pad	11
66	6	341723050	screw	11
67	1	343449260	Motor cap	17
71	1	344102230	Bellows	19
72	1	343449270	Switch trigger	14
73	1	343412140	Switch	26
74	1	341519770	Bearing bolt	11
75	3	341723450	TAPPING SCREW (W/FLANGE) D4X20 (BLACK)	11
76	2	341723440	Screw	11
77	1	343448480	housing cap rear	22
78	1	343087720	Cable terminal	12
79	1	343447450	Cable clip	11
80	1	344532080	Cable with plug	31
81	1	344114120	Cable sleeve	12
87	1	315105950	Gear housing rear	36
90	1	341605690	Eccentric shaft	30
91	1	339101150	Adjusting spring	11
92	1	342024300	RETAINING RING	12
93	1	344114260	O-ring	11
94	1	320054500	Ball bearing	20
95	1	339013230	Shaft sealing ring	14
96	1	343448430	Cap	22
97	1	316098080	Vibration damper compl.	37
99	1	344114010	O-ring	11
100	1	344071160	Felt	11
101	1	316098090	Valve compl.	22
102	1	343087330	LED-display unit	25
103	2	341723480	SEAL LOCK HEX. SOCKET HD. BOLT M4X12	11
104	1	343449450	Control knob slide	14

105	1	342024430	Pressure spring	11
106	1	341166880	STEEL BALL	11
107	1	344113940	O-ring	19
108	1	343450170	Control-knob cover	29
109	1	141180130	Retaining ring	11
110	1	315420280	Gear box cover	33
111	1	320054510	Needle bearing	19
112	2	341571010	Screw	11
114	1	339149370	Shift element	13
119	1	341072170	Spur gear	25
120	4	341723470	screw	11
125	1	343448570	Lock button	13
126	1	343448580	Speed button	13
127	2	342024420	Pressure spring	13
128	1	343412150	Push button switch	30
130	1	320054410	Ball bearing	21
131	1	341213240	Sealing washer	11
135	1	338130720	Rating Plate	12
140	1	338071571	Rating plate	12
145	1	338130750	Indication label VTC electronic	12
150	1	338121750	Warning Label serial 40x14	11
155	1	343255190	Suppressor 100V-120V	25
160	1	343449440	loop handle Hikoki part number C215662A	23
161	1	341723460	Bolt, M8	17
162	2	341072200	Ratched wheel Hikoki part numberC215673	11
163	1	341072210	Clamping piece Hikoki number C351775A	27
164	1	341109150	Knurled nut Hikoki part number C215672A	16
165	1	341167130	Cleaning Cloth	22
166	1	631800000	Special grease	
885	1	344131350	Special Grease 500g	37
886	1	344131360	Gear grease	30
1001	1	338510520	Diagram	

