Tanaka.

Parts Catalog


Hedge Trimmer

Model: THT-162

DPL-HT162-HST 03-18-96

THT-162 OPTIONS AND ACCESSORIES

PERFECT MIX® 2-Cycle Engine Oil



700109 2.8 oz. Bottle, 1 Gallon Size (24*) 700108 16 oz. Self-measuring Bottle (24*) 700110 1 Gallon Jug Commercial Size (6*) * Case Quantity

MANUALS & CATALOGS

970-33231-200 Owner's Manual DPL-HT162-HST Parts Catalog

SPECIAL TOOLS

 006-29326-000
 Flywheel Remover 001-29000-000
 Tachometer

 009-29323-500
 Piston Pin Remover
 070-2000W-500
 Pressure Tester

 906-33231-200
 Clutch Drum Remover
 070-2000W-501
 Carb. Tool Kit






FIG.1 ENGINE



REF.	PART NO.	PART DESCRIPTION	~	_	_		DEMARKO
1	 	SHROUD, CYLINDER	1	<u> </u>	D	SERIAL NO.	REMARKS
1	1						
2		CAP,SPARK PLUG,ASS'Y	11.		С		
3		PLUG,SPARK	ן ן		В		
4		CYLINDER	1	Ì	D		
5		GASKET,CYLINDER	1		С		
7	041-06100-200	RING,PISTON	2		С		
8	039-06100-200	CIRCLIP,PISTON PIN	2		A		
9	031-06150-200	PISTON	1		D		
10	037-06100-200	PIN,PISTON	1		ם		
14	999-61600-100	BEARING,BALL,#6001	2		В		
15	999-66122-240	SEAL,OIL,12227	2		Α		
16	072-06020-900	CRANKCASE,ASS'Y	1		D		Includes bearings, seals and gasket
		ŕ					guana.
17	999-62071-127	BEARING,NEEDLE,F-79	1		С		
		CONDENSER	1		D		
i i		CORD,PRIMARY			D		
20	l .	BREAKER,CONTACT ASS'Y			D		
		GASKET,RECOIL STARTER			D		
		KEY,WOODRUFF,3X13X4.5			c		
	000 10100 200	(1,1100B)(0)(1,0X10X4.3					
24	330-00200-210	SHIM,12.2X19X.10			Ь		
		SHIM,12.2X19X.15			Ы		Shims are "as needed" to obtain
l		SHIM, 12.2X19X.20	;		Ы		correct c/s side clearance
ł I	!	SHIM, 12.2X19X.30	;		Ы		correct c/s side clearance
		GASKET, CRANKCASE			c		
	203-06000-202	,			c		
29	203-00000-200	GROMMET,PRIMARY CORD			٦		
30	167-20745-801	COIL,IGNITION			c		
		GROMMET			- 1		
		ROTOR,MAGNETO	[¦		C		
	112-0602W-200				- 1		
		COVER,SPARK PLUG					
1 1							
33	994-04000-101	SCREW,S,5X16			D		
66	992-00050-011	WASHER,SMALL,5			c		
i i		SCREW,5X30/S					
	990-11040-081	SCREW,4X8	4		- 1		
	994-35040-101	·	¦				
		SCREW,4X10/P.S SCREW,S,4X18					
		• •	2				
'0	065-00000-200	WASHER,FLYWHEEL		ļ			
77	327-00201-201	NUT,L.H,7	$ $		Ы		
1 1		SCREW,S,5X16	8				
	00104000-101				기		
	L		<u>Ц</u>				

^{*} Indicates the part is included in a kit or assembly and is not available individually. Q=Quan. used C=Interchangeability S=Stocking code: A-Fast moving B=Med. fast C=Med. move D=Slow move E=N.L.A. F=Superceded or replaced by a new part

FIG.2 ENGINE COMPONENTS



REF.	PART NO.	PART DESCRIPTION	Q	С	s	SERIAL NO.	REMARKS
1		PROTECTOR, MUFFLER	1	Ħ	D		
2	706-0602W-910	· · · · · · · · · · · · · · · · · · ·	1		D		
4	!	GASKET,MUFFLER	1		В		
6		GASKET,INLET MANIFOLD	1	ĺ	D		
7		INSULATOR,CARBURETOR	1			~B200532	
7		INSULATOR, CARBURETOR	1			B200533~	
						220000	
10	595-0650A-90	CAP,TANK	1		Α		
14		WASHER,8	2		С		
15		BOLT,STEP,CLUTCH	2	ı	С		
16		WASHER, CLUTCH A	2		В		
17		SPRING,CLUTCH	1		С		
18	i i	SHOE,CLUTCH	2		Ā	:	
						•	
19	359-02103-200	WASHER,CLUTCH,B	2		В		
20		PULLEY,STARTER	11		D		
23	655-06100-200	CUSHION,TANK	4		Α		
24		BRACKET,TANK	11		С		
25		BODY,MUFFLER,A	1		D		
26		GASKET,MUFFLER COUPLING	2		В		
				'			
27	722-0602B-800	PLATE,MUFFLER PARTITIVE	1		C		:
28	740-0602B-201	COLLAR,MUFFLER	2		D		
29	717-0602W - 200	BODY,MUFFLER,B	1	- 1	D		
30	991-16080-003	NUT,8/L.H	1		D		
35	700-03005-090	PIPE,FUEL,3X5X90	1		D		
36	680-04019-210	CLIP,7	1		В		
					ŀ		
42	497-32350-200	JOINT,PIPE	1		С		
45	678-0602W-200	PIPE,RUBBER	1		C		
52	992-01050-011	WASHER,5	1		Α		
50	675-04042-80	FILTER,FUEL	1		Α		
55	591-0602W-200	TANK	1		D		
61	170-00750-801	BUTTON,STOP	1		D	~C074205	
	162-01300-900	•	1			C074206~	
		BRACKET,STOP BUTTON	1		D	1	
1 1		WASHER,8	1		D		
		BRACKET,TOGGLE SWITCH	1		D		
72		WASHER,CLUTCH B	1		Α		
80	994-35040-101	SCREW,4X10/P.S	2		D		
00	004.36050 131	SODEW SV10				,	
		SCREW,5X12	3				
90	994-34050-121	SCREW,S,5X12	1	ļ	D		
L							

^{*} Indicates the part is included in a kit or assembly and is not available individually. Q=Quan. used C=Interchangeability S=Stocking code: A-Fast moving B=Med. fast C=Med. move D=Slow move E=N.L.A. F=Superceded or replaced by a new part

FIGURE 2 cont.

REF.	PART NO.	PART DESCRIPTION	Q	С	S	SERIAL NO.	REMARKS
106	992-00050-011	WASHER,SMALL,5	2		C		
107	994-34050-421	SCREW,S,5X42	2		D	;	
150	990-11050-651	SCREW,5X65	2		Α		
151	992-10050-012	WASHER,S,5	2		Α		
152	992-01050-011	WASHER,5	2		Α		
204	402-00601-20	GASKET,CARBURETOR	1		Α		
207	991-01060-013	NUT,6	1		В		
208	894-01401-201	RECEIVER,OUTER	1		В		
210	178-0602W-800	CORD,STOP	1		D		

^{*} Indicates the part is included in a kit or assembly and is not available individually. Q=Quan. used C=Interchangeability S=Stocking code: A-Fast moving B=Med. fast C=Med. move D=Slow move E=N.L.A. F=Superceded or replaced by a new part

FIG.3 RECOIL STARTER




FIGURE 3

		7777 702 7		.,,		<u> </u>			
REF.	PART NO.	PART DESCRIPTION	Q	С	S	SERIAL NO.		REMARKS	
0	762-0602K-901	STARTER, RECOIL ASS'Y	1		D		, <u></u>		
1	785-06097-200	HANDLE,STARTER	1		С				
2	216093	ROPE,STARTER	1		D				
3	782-06097-200	RECEIVER,ROPE	1		D				
4	772-0601R-800	BODY,RECOIL STARTER	1		D				
5	779-01250-200	SPRING,RECOIL	1		В				
6	769-06092-200	PULLEY,STARTER	1		D				٠
7	836-06092-200	SPRING, FRICTION	1		D				
8	832-06092-200	SPRING,RETURN	1.		D				
9	788-06092-200	PAWL,STARTER	1		D				
10	837-06092-200	PLATE, FRICTION	1		D				
11	990-15050-121	SCREW,5X12	1		Α				
12	795-0602K-200	CAP,KNOB	1		D				

FIG.4 AIR CLEANER




FIGURE 4

THT-162 PARTS LISTING

REF.	PART NO.	PART DESCRIPTION	Q	С	S	SERIAL NO.	REMARKS
0	410-0602W-902	CLEANER,AIR ASS'Y	1		E		
1	423-0602W-205	BODY,CLEANER	1		D		
3	4460602W200	ELEMENT, CLEANER	1		Α		
4	424-0137R-200	COVER,AIR CLEANER	1		В		
18	470-0602N-200	COLLAR,CLEANER	2		c		
19	99967007000	O-RING,P7	1		c	~C010264	
19	992-04080-030	WASHER,8	1		C	C010265~	
20	528-0602W-202	PLATE,CHOKE	1		D		

FIG.5 CARBURETOR





FIGURE 5

			~,	• •	•	LISTING	
REF.	PART NO.	PART DESCRIPTION	Q	С	S	SERIAL NO.	REMARKS
0	455-25006-900	CARBURETOR, ASS'Y	1		D		
1	575-25006-200	BODY,PUMP	1		D		
2	~~~	(1)(2)GASKET,PUMP	1		D		
3	~~~	(1)(2)DIAPHRAGM,PUMP	1		С		(1) Carb. Repair Kit
4	~~~	(1)(2)GASKET,DIAPHRAGM	1		Α		650-25001-910
5	~~~	(1)(2)DIAPHRAGM,METERING	1		Α		
						:	(2) Carb. Gasket/Dia. Kit
6		COVER,DIAPHRAGM	1		D		652-25001-910
7	464-25006-800	SHAFT,THROTTLE	1		D		
	486-25009-200	SPRING,THROTTLE	1		C		
9	488-25006-200	VALVE,THROTTLE	1		D		
1	557-25006-200	CLIP,THROTTLE SHAFT	1		D		
11	460-25006-200	SCREW,HIGH ADJUST	1		D		
		SPRING,ADJUST,HIGH	1		D		
	461-25006-200	SCREW,ADJUST,LOW	1		D		
	623-25001-200	SPRING,ADJUST,LOW	1		D		
1	462-25006-200	SCREW,IDLE ADJUST	1		D		i
5	463-25006-200	SPRING,IDLE ADJUST	1		D		
17	477-25003-200	SPRING,VALVE	1		P		
18	~~~	(1)VALVE,NEEDLE	1		디		
19	~~~	(1)HINGE,VALVE	1		C		
20	~~~	(1)PIN,FLOAT	1		D		
21	~~~	(1)SCREEN,INLET	1		C		
22	539-25008-200	SWIVEL	1		С		
23	489-25008-200	RING,STOP	1		C		
٠,	E44 05001 055				_		
24	514-25001-200	SCREW,SET	1				
25	546-25001-200	SCREW,SET,HINGE PIN			D		
	467-25003-200	SCREW,SHUTTER			<u>c</u>		į
27	548-25012-200	SCREW,SET	5		미		
	l	l					

⁽¹⁾⁽²⁾ Indicates the part is included in a kit or assembly and is not available individually. Q=Quan. used C=Interchangeability S=Stocking code: A-Fast moving B=Med. fast C=Med. move D=Slow move E=N.L.A. F=Superceded or replaced by a new part

FIG.6 GEAR CASE & CUTTER



T		7171-102					
REF.		PART DESCRIPTION	Q	C	_	SERIAL NO	REMARKS
1		CASE,GEAR,A	1		D		-
	301-33230-200	CASE,GEAR B	1		С		
3	100-33210-203	BOSS,CAM	1		С		
4	307-33230-200	GEAR,#2	1		С		
5	999-61629-000	BEARING,BALL,#629	2		С		
6	015-35100-200	SHIM,9.3X18X.10	1		С		
6	016-35100-201	SHIM,9.3X18X.20	1		С		
6	022-35100-200	SHIM,9.3X18X.30	1		D		
7	068-00300-200	KEY,WOODRUFF,3X10X3.7	1		В		
8	306-33230-210	GEAR,#1	1		С		
9	999-61600-003	BEARING,BALL,#6000D	1		С		
10	999-61600-000	BEARING,BALL,#6000	1		С		
11	993-51026-002	RING,STOP,IN,C-26	1		D		
1 1	288-0602W-822		1		В		
		BOLT,HT,5X10	1		C		
14	368-32350-200	WASHER, BRAKE SHAFT	1		C		
15	101-33230-800	ROD,CAM	2		в		
16	CB-16A	BLADE,CUTTER	1		c		
		,					
17	CB-16B	BLADE,CUTTER	1		С		
18	122-33230-200	GUIDE,CUTTER	1		D		
	123-33202-200	NUT, CUTTER FIXING	4		Ā		
23	124-33202-206	BOLT,BLADE,A	1		Α		
24	129-33202-201	WASHER,7	4		A		
l í	085-33230-200	SEAL,GREASE,A	2		С		
		,					
26	075-33230-200	PLATE,CAM ROD GUIDE	1		c		
27		SCREW,4X8	2		С		
	992-10040-012		6		В		
		PIN,KNOCK,4X8	2		D		
1		GASKET,GEARCASE	1		С		
I I		SCREW,4X16	6		A		
		• •					
32	992-10040-012	WASHER,S,4	6		В		
		SCREW,5X27	2		c		
§ .		WASHER,S,5	2		Ā		
i i		HOLDER,HANDLE	1		D		
		SCREW,6X8				~C179512	
	200-33210-210			ļ		C179513~	
		· · · · 			-		
38	727-01040-201	GASKET,DRAIN	1		c	~C179512	
		BOLT, CUTTER FIXING B	1	İ	В		
		-			_		
				_			


^{*} Indicates the part is included in a kit or assembly and is not available individually. Q=Quan. used C=Interchangeability S=Stocking code: A-Fast moving B=Med. fast C=Med. move D=Slow move E=N.L.A. F=Superceded or replaced by a new part

FIGURE 6 cont.

REF.	PART NO.	PART DESCRIPTION	Q	C	S	SERIAL NO.	REMARKS
40	051-33210-82	HANDLE,B	1		C		
41	165-35100-202	GRIP,HANDLE	1		D		
42	992-01060-011	WASHER,6	1		Α		
46	990-23060-161	BOLT,6X16 PLUS	4		С		
47	992-10060-012	WASHER,S,6	4		Α		
48	700-05008-013	PIPE,FUEL,5X8X13	1		ם		
49	138-33231-202	COVER,BLADE,25"	1		D		

^{*} Indicates the part is included in a kit or assembly and is not available individually. Q=Quan. used C=Interchangeability S=Stocking code: A-Fast moving B=Med. fast C=Med. move D=Slow move E=N.L.A. F=Superceded or replaced by a new part

FIG.7 HANDLE



REF.	PART NO.	PART DESCRIPTION	Q	С	s	SERIAL NO.	REMARKS
1	053-33231-210	GRIP,HANDLE A	1	_	_	C179513~	
2	054-33231-210	GRIP,HANDLE B	1		D	C179513~	
3	230-33210-201	LEVER,THROTTLE	1		D	C179513~	
4	231-33210-200	LEVER,SAFETY	1		D	C179513~	
5	061-32600-201	SPRING,THROTTLE LEVER	1		D	C179513~	
6	162-01300-900	SWITCH,STOP	1		Α	C179513~	
7	183-01300-200	SWITCH,NAME PLATE	1		D	C179513~	
8	319-43225-200	TERMINAL, EARTH	1		D	C179513~	
9	178-33231-800	CORD,STOP	1		D	C179513~	
10	725-32600-202	CAP,PUSH PIN	1		C	C179513~	
11	064-32530-200	PIN,PUSH	1		С	C179513~	
12	066-32300-201	SPRING,STOPPER	1		D	C179513~	
13	993-41040-251	SCREW,4X25	3		D	C179513~	
14	993-41040-151	SCREW,4X15	3		С	C179513~	
15-1	055-32130-200	GRIP,HANDLE	1		В	~C175512	
15-2	055-33250-903	GRIP,HANDLE ASS'Y	1		D	C179513~	
16-1	050-33230-200	HANDLE,A	1		D	~C179512	
16-2	050-33231-200	HANDLE,A	1		D	C179513~	
17-1	885-33225-800	WIRE,THROTTLE	1		С	C179513~	
17-2	885-0602W-801	WIRE,THROTTLE	1		D	~C179513	
18	903-32201-200	HOLDER,THROTTLE WIRE	1		D		
19	870-32130-900	LEVER,THROTTLE ASS'Y	1		D	~C179512	

^{*} Indicates the part is included in a kit or assembly and is not available individually. Q=Quan. used C=Interchangeability S=Stocking code: A-Fast moving B=Med. fast C=Med. move D=Slow move E=N.L.A. F=Superceded or replaced by a new part

FIG.8 TOOLS




FIGURE 8

	T	T					
REF.	PART NO.	PART DESCRIPTION	Q	С	S	SERIAL NO.	REMARKS
1	851-20000-201	SPANNER, SPARK PLUG BOX	1		D		TILMARKS
2	862-20000-200	DRIVER,PLUS 4	1	•	D		
<u> </u>			Ш				