



Position	Amount	Type number	Description	PG
1	2	339151230	Baffle	12
2	1	315013720	Motor housing	24
3	1	338129940	Indication label	12
4	1	341100940	Hexagon nut w.recess	12
5	1	316057770	Bevel gear and pinion	26
6	2	141110460	Fillister head screw	11
7	1	316092990	Motor compl.	54
9	4	344101750	Rubber buffer	11
10	1	343084550	Electronic unit,WE 18 BL	48
11	1	316065550	Battery housing compl.	25
12	1	338065040	Rating plate 13076420 WPB 18 LTX	11
14	1	342003030	Pressure spring	11
15	1	343430520	Locking piece	11
16	1	343430530	Switch slide	12
17	3	141120070	Fill. head screw	11
18	1	141123920	Fillister head screw Duo-Taptite	11
19	1	344097550	O-ring 48 x 1	11
20	2	339060160	Compensating Washer	12
22	1	143193920	O-ring	18
23	7	141113180	Self-tap. fill. h. screw	11
24	1	338125590	Warning Label 56x19	11
25	1	342001770	Pressure spring	11
26	1	339204450	Wheel guard,D 150	26
27	1	630353000	Clip for protective separating cover 150	
28	1	341031290	Clamping flange	19
29	1	341101480	Flange nut	20
30	1	316093000	Switch compl.,paddle	20
31	4	141116020	Self-tap fill h screw	12
32	1	316040610	Spindle stop compl.	14
33	1	316046070	Gear housing compl.	28
34	1	316047590	Clamping lever compl.	23
35	1	316093230	Spindle compl. 5/8"	29
36	1	316093250	Flange compl. 5/8"	36
37	1	316046590	Side support handle compl.	20
38	1	316062620	Filter compl.	20
39	1	338126770	Type label,Features13076420 WPB 18 150	11
40	1	338127740	Indication label Fast Brake	14
41	1	339203480	Wheel guard,D 115	29
75	1	343411790	Defond µ-switch DMU-112D-006	19
90	1	344163920	Pin spanner	14
880	1	344130910	Grease 100G	24

Position	Amount	Type number	Description	PG
1001	1	338510160	Wiring diagram	

